Printed: 12/23/2024 Revision: 12/10/2024

Page: 1

1. Product and Company Identification

Product Code: AK262: AK261 AK Shine XL **Product Name:**

AllKleen Solutions LLC **Company Name: Phone Number:** 1 (650)588-7600

525 Railroad Avenue

South San Francisco, CA 94080

Web site address: www.allkleensolutions.com

Infotrac 24 Hour Emergency Hotline 1 (800)535-5053 **Emergency Contact:**

Recommended Use: Hard Surface Cleaner/Degreaser

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Inhalation, Category 4 Acute Toxicity: Skin, Category 4 Acute Toxicity: Oral, Category 4

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

H332 - Harmful if inhaled. **GHS Hazard Phrases:**

H312 - Harmful in contact with skin.

H302 - Harmful if swallowed.

H319 - Can cause serious eye irritation.

GHS Precaution Phrases: P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P362+364 - Take off contaminated clothing and wash it before reuse.

P270 - Do not eat, drink or smoke when using this product.

P102 - Keep out of reach of children. P264 - Wash hands thoroughly after handling.

GHS Response Phrases: P304+340 - If inhaled: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P302+352 - If on skin (or in hair): Wash with plenty of soap and water. P301+310 - If swallowed: Immediately call a Poison Center or doctor.

P305+351+338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

GHS Storage and Disposal

Phrases:

P411+235 - Store in cool dry place at room temperature away from direct sunlight.

P501 - Dispose of contents and container according to the local, city, state and federal

regulations.

Potential Health Effects

(Acute and Chronic):

Prolonged or repeated skin contact may cause defatting and dermatitis.

Inhalation: May be harmful if inhaled. Inhalation of a mist of this material may cause respiratory tract

irritation.

Skin Contact: Causes skin irritation. May be harmful if absorbed through the skin. Causes skin burns.

Eye Contact: Causes eye irritation. May cause transient corneal injury. Causes eye burns. Produces

irritation, characterized by a burning sensation, redness, tearing, inflammation, and

possible corneal injury.

May cause kidney damage. Harmful if swallowed. Causes burns. Causes gastrointestinal Ingestion:

irritation with nausea, vomiting and diarrhea.

Page: 2 Printed: 12/23/2024 Revision: 12/10/2024

	3. C	compos	ition/Inforr	nation on	Ingredients
--	------	--------	--------------	-----------	-------------

CAS#	Hazardous Components (Chemical Name)	Concentration
111-76-2	Ethanol, 2-Butoxy-	Proprietary
6834-92-0	Silicic acid (H2SiO3), Disodium salt	Proprietary
68439-46-3	Alcohol ethoxylate	Proprietary
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	Proprietary
78-96-6	1-Amino-2-Propanol	Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. Get medical aid. If breathed

in, move person into fresh air.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Get medical aid if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately. Continue rinsing eyes during transport to

hospital.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid immediately.

Signs and Symptoms Of

Exposure:

Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep

fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion No data available.

Products:

6. Accidental Release Measures

Environmental Precautions: Avoid release to the environment.

Steps To Be Taken In Case U

Use proper personal protective equipment as indicated in Section 8.

Material Is Released Or

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in

Spilled: suitable container.

Printed: 12/23/2024 Revision: 12/10/2024

Page: 3

Handling and Storage

Precautions To Be Taken in

Avoid breathing dust, mist, or vapor. Use with adequate ventilation. Avoid contact with

Handling:

eyes, skin, and clothing.

Precautions To Be Taken in

Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	No data.	No data.	No data.
78-96-6 1-Amino-2-Propanol		No data.	No data.	No data.

Personal Protective Equipment Symbols:





Respiratory Equipment

(Specify Type): **Eye Protection:** Always use a NIOSH approved respirator when necessary.

Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Face shield and safety glasses.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general

or local exhaust ventilation to keep airborne concentrations below the permissible

exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Physical and Chemical Properties

[] Gas [X] Liquid [] Solid **Physical States:** green color liquid with solvent odor. Appearance and Odor:

~ 11.50 - 12.50 pH:

ΝE **Melting Point:**

>= 212.00 F **Boiling Point:**

Flash Pt: ΝE **Evaporation Rate:** NE

Flammability (solid, gas): No data available.

LEL: N/A N.E. UEL: N/A N.E. **Explosive Limits:**

Vapor Pressure (vs. Air or

ΝE

mm Hg):

Vapor Density (vs. Air = 1): ΝE

Printed: 12/23/2024 Revision: 12/10/2024

Page: 4

Specific Gravity (Water = 1): ~ 1.048

Density: ~ 8.74 LB/GA

Bulk density:NESolubility in Water:100%Saturated VaporNE

Concentration:

Octanol/Water Partition No data.

Coefficient:

VOC / Volume: 25.0000 G/L

Autoignition Pt: NE

Decomposition Temperature: NE

Viscosity: NP

Particle Size: NE

Heat Value: NE

Corrosion Rate: NE

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

None.

None.

Conditions To Avoid -

Instability:

Incompatibility - Materials To Cationic materials, strong oxidizers, strong acidic materials.

Avoid:

Hazardous Decomposition or CO, CO2.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: CAS# 111-76-2: Acute toxicity, LD50, Oral, Rat, 470.0 MG/KG. Result: Behavioral:

Somnolence (general depressed activity). Behavioral: Muscle weakness.; Dow Chemical Company Reports., Dow Chemical USA, Health and Environment Research,

Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H. Result: Behavioral: Ataxia.

Nutritional and Gross Metabolic:Weight loss or decreased weight gain.; Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr:

68,405, 1983

CAS# 6834-92-0: Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG. Result: Kidney, Ureter, Bladder:Changes in tubules (including acute renal failure, acute tubular necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight. Nutritional and Gross

Metabolic:Weight loss or decreased weight gain.; Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000 AE Netherlands, Vol/p/yr: 31(Suppl),

1986

CAS# 68439-46-3: Acute toxicity, LD50, Oral, Rat, 1378. MG/KG. Result:

Vascular: Measurement of regional blood flow. Biochemical: Enzyme inhibition, induction,

or change in blood or tissue levels: Dehydrogenases. Biochemical: Metabolism (Intermediary): Lipids including transport. ; Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY, Vol/p/yr: 10(4),427, 1991

Carcinogenicity/Other

Information:

CAS# 112-34-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is

Printed: 12/23/2024 Revision: 12/10/2024

Page: 5

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carringgon or potential carringgon by ACGIH.

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 67-63-0: Not listed by

ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological Information:

CAS# 111-76-2: LC50, Brine Shrimp (Artemia salina), nauplii, 1000000. UG/L, 24 H, Mortality, Water temperature: 24.00 C C. Result: Morphological changes.; Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy, and R.A.

Conway, 1974

CAS# 68439-46-3: LC50, Fathead Minnow (Pimephales promelas), 11000. UG/L, 96 H, Mortality, Water temperature: 22.00 C C. Result: Morphological changes.; Acute Toxicity and Structure-Activity Relationships of Nine Alcohol Ethoxylate Surfactants to Fathead Minnow and Daphnia magna, Wong, D.C.L., P.B. Dorn, and E.Y. Chai, 1997

13. Disposal Considerations

Waste Disposal Method:

Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not regulated as a hazardous material.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
6834-92-0	Silicic acid (H2SiO3), Disodium salt		No	No
68439-46-3	Alcohol ethoxylate	No	No	No
10101-89-0	Sodium phosphate, Tribasic dodecahydrate	No	Yes 5000 LB	No
78-96-6	1-Amino-2-Propanol	No	No	No

Printed: 12/23/2024 Revision: 12/10/2024

Page: 6

16. Other Information

Revision Date: 12/10/2024

Hazard Rating System:





HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.